

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Arugula Rajaram Guthpa LIS –AME for the year 2009-10 to meet up the expenditure towards current consumption and maintenance of Electrical sub-station of both Pump Houses – Administrative Approval – Accorded – Orders – Issued.

IRRIGATION & CAD (PW.MAJ.IRR.IV.1) DEPARTMENT

G.O.Ms.No. 12

Dated: 05-02-2010

Read the following:-

1. From the Commissioner, GB, Lr.No.Comm/GB/DCE/DEE/AEE /22183/Vol.XII, Dt. 19-05-2009.
2. From the Commissioner, Godavari Basin, Lr.No.Comm/GB/DCE/ DEE/AEE/22183/ Vol.XII, dt. 15-09-2009.

ORDER:

In the letter 1st read above the Commissioner, Godavari Basin has submitted that Government vide G.O.Ms.No.207, dt. 23-12-2002 have accorded administrative approval for the work of Construction of ARR Guthpa LIS for Rs.145 Crores to irrigate 38,792 Acres under Distributory No.74 to 82 of Nizamsagar Project and the work was completed in all aspects and the water was released for two seasons Khariff and Rabi. The Commissioner, Godavari Basin reported that the Superintending Engineer, Dr. BRAPCSS Circle Nizamabad has submitted the Annual Maintenance Estimate for the year 2009-10 for Rs.19.66 Crores towards the current consumption charges, operation and maintenance of two electrical sub-stations pertaining to Pump House I and II of ARR Guthpa LIS, Nizamabad for Khariff & Rabi 2009-10.

2. In the letter 2nd read above, the Commissioner, Godavari reviewed his earlier proposal and submitted that the AME estimate amounting to Rs.19.46 crores duly deleting the LS provision of Rs.20.00 Lakhs towards maintenance of gravity canal. The Commissioner, Godavari Basin has requested to accord permission towards AME Estimate for the year 2009-10 amounting to Rs.19.46 Crores to meet the expenditure towards current consumption and maintenance of Electrical Sub-station at both pump houses and Gravity Canal.

3. After careful examination, it is observed that as per the agreement conditions O&M of the ARR Guthpa Lift Irrigation Scheme is with the EPC Agency upto 31-03-2010 and therefore items other than electricity consumption charges have been deleted and estimate is restricted to Rs.18.92 Crores.

4. Government, in view of the above circumstances explained, hereby accord administrative approval for Rs.18.92 Crores (Rupees Eighteen Crores and Ninety Two Lakhs only) towards the AME for the year 2009-10 to meet the expenditure towards current consumption and maintenance of Electrical sub-station at both Pump Houses and Gravity Canal of Arugula Rajaram Guthpa Lift Irrigation Scheme.

5. The above expenditure is chargeable to the Head of Account: MH 4701 – COL on M&MI – 01- Major Irrigation Commercial - MH 174 ARR GLIS –GH 11 Normal State Plan – SH 27 Canal & Distributory – 530 Major Works – 531 - Other expenditure – 27-/274 HT Charges.

6. This order issues with the concurrence of Finance (W&P) Department vide their U.O.No.4310/F4(1)/09-2, dt. 16-12-2009.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**ADITYA NATH DAS
SECRETARY TO GOVERNMENT**

To
The Commissioner, Godavari Basin,
Basement Floor, Jalasoudha Building,
Erramanzil, Hyderabad.

Copy to:
Finance (W&P) Department.
PS to Minister (M&MI).
SF/Spare.

//FORWARDED BY ORDER//

SECTION OFFICER